Neuroscience Letters, 201 (1995) 269–272
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Aamiri, A., Butler-Browne, G.S., Martelly, I., Barritault, D., Gautron, J., Influence of a dextran derivative on myosin heavy chain expression during rat skeletal muscle regeneration, 243
Aarnoutse, E.J., Van der Want, J.J.L., Vrensen, G.F.J.M., Retrograde fluorescent microsphere tracing of retinal and central afferents to the nucleus of the optic tract in pigmented and albino rats, 143
Achermann, P., see Dijk, D.-J., 13
Adage, T., see Cangemi, L., 65
Adrio, F., see Anadón, R., 171
Aeppli, M., see Dijk, D.-J., 13
Akiyama, H., see Nishimura, T., 123
Alcázar, A., Bazán, E., Rivera, J., Salinas, M., Phosphorylation of initiation factor 2 α subunit and apoptosis in Ca^{2+} ionophore-treated cultured neuronal cells, 215
Alvarez, A., Bronfman, F., Pérez, C.A., Vicente, M., Garrido, J., Inestrosa, N.C., Acetylcholinesterase, a senile plaque component, affects the fibrillogenesis of amyloid-β-peptides, 49
Amoureux, M.-C., Wurch, T., Pauwels, P.J., Expression of human metallothionein-III confers protection against serum-free exposure of stably transfected Chinese hamster ovary CHO-K1 cells, 61
Anadón, R., Pérez, S.E., Rodríguez, M.A., Adrio, F., Rodríguez-Moldes, I., The electric lobes of the electric ray (*Torpedo marmorata*) are innervated by GABAergic fibres: immunocytochemical evidence for dual innervation of electromotoneurons, 171
Arrigoni, E., see Formenti, A., 21
Asanuma, M., Kondo, Y., Nishibayashi, S., Iwata, E., Nakanishi, T., Ogawa, N., Age-related changes in composition of transcription factor, AP-1 complex in the rat brain, 127
Avanzini, G., see Formenti, A., 21
Avoli, M., see Köhling, R., 87
Awobuluyi, M., see Leclerc, C.L., 103

Barritault, D., see Aamiri, A., 243
Bartfai, T., see Malinowsky, D., 33
Basbaum, A.I., see Taylor, B.K., 9
Battaini, F., see Bergamaschi, S., 1
Bazán, E., see Alcázar, A., 215
Ben-Ari, Y., see Dessi, F., 53
Benjamin, R., see Morris, C.M., 45
Bergamaschi, S., Binetti, G., Govoni, S., Wetsel, W.C., Battaini, F., Trabucchi, M., Bianchetti, A., Racchi, M., Defective phorbol ester-stimulated secretion of β-amyloid precursor protein from Alzheimer's disease fibroblasts, 1
Bianchetti, A., see Bergamaschi, S., 1
Binetti, G., see Bergamaschi, S., 1
Birbaumer, N., see Knecht, S., 262
Bjertness, E., see Morris, C.M., 45
Bone, E., see Chandler, S., 223
Borbély, A.A., see Dijk, D.-J., 13
Botterblom, M.H.A., see Feenstra, M.G.P., 175
Bournaud, R., see Chameau, P., 159
Bozhilova-Pastirova, A., Ovtscharoff, W., Structure of the synaptic junctions in the rat sensorimotor cortex: freeze-etching study of neuronal gap junctions, 265
Braun, D., see Miller, J.A., 183
Bristulf, J., see Malinowsky, D., 33
Bronfman, F., see Alvarez, A., 49
Buchanan, J.T., see Kemnitz, C.P., 115
Buchwald, B., Weishaupt, A., Toyka, K.V., Dudel, J., Immunoglobulin G from a patient with Miller–Fisher syndrome rapidly and reversibly depresses evoked quantal release at the neuromuscular junction of mice, 163
Butler-Browne, G.S., see Aamiri, A., 243
Buttery, L.D.K., Springall, D.R., da Costa, F.A.M., Oliveira, H., Hislop, A.A., Haworth, S.G., Polak, J.M., Early abundance of nerves containing NO synthase in the airways of newborn pigs and subsequent decrease with age, 219

Candy, J.M., see Morris, C.M., 45
Cangemi, L., Adage, T., Morabito, A., Portaleone, P., *N*-Acetyltransferase mechanism for α-melanocyte stimulating hormone regulation in rat ageing, 65
Carson, J., see Ye, P., 235
Castro, A.J., see Tillotson, G.L., 69
Chai, Z., see Malinowsky, D., 33
Chameau, P., Bournaud, R., Shimahara, T., Asymmetric intramembrane charge movement in mouse hippocampal pyramidal cells, 159
Chan, S.H.H., see Lui, P.-W., 167
Chandler, S., Coates, R., Gearing, A., Lury, J., Wells, G., Bone, E., Matrix metalloproteinases degrade myelin basic protein, 223
Charli, J.L., see Uribe, R.M., 41
Charriaut-Marlangue, C., see Dessi, F., 53
Chi, C.L., see Leclerc, C.L., 103
Chi, H., see Tsuda, T., 188
Chmielewski, P.A., see Miller, J.A., 183
Chun, S.-J., Niijima, A., Shimizu, K., Nagai, K., Involvement of cerebral neurotensin in hyperglycemic response caused by 2-deoxy-D-glucose in rats, 191
Coates, R., see Chandler, S., 223
Colado, M.I., see Viveros, M.P., 195
Cooper, A.J., Mitchell, I.J., Fos immuno-positive neurons in the subthalamic nucleus following reversal of parkinsonian symptoms by antagonism of excitatory amino acid transmission in the entopeduncular nucleus of the monoamine depleted rat, 251
Corbo, R.M., see Scacchi, R., 231
Corr, S.A., see Gentle, M.J., 211
Covarrubias, L., see Uribe, R.M., 41
Cross, N.P., see Taylor, D.C.M., 259

D'Ercole, A.J., see Ye, P., 235
da Costa, F.A.M., see Buttery, L.D.K., 219
Dahmer, M.K., Down-regulation of protein kinase C activity preferentially attenuates high K^+-stimulated tyrosine hydroxylase activity in adrenal chromaffin cells cultured with insulin-like growth factor-I, 99
De Bernardini, L., see Scacchi, R., 231
de Cabo, C., see Viveros, M.P., 195
de Lourdes Covarrubias, M., see Uribe, R.M., 41
Dessi, F., Ben-Ari, Y., Charriaut-Marlangue, C., Ruthenium red protects against glutamate-induced neuronal death in cerebellar culture, 53
Dijk, D.-J., Roth, C., Landolt, H.-P., Werth, E., Aeppli, M., Achermann, P., Borbély, A.A., Melatonin effect on daytime sleep in men: suppression of EEG low frequency activity and enhancement of spindle frequency activity, 13
Doi, K., see Nakamura, S., 151
Donini, L.M., see Scacchi, R., 231

Duara, R., see Tsuda, T., 188
Dudel, J., see Buchwald, B., 163

Edwardson, J.A., see Morris, C.M., 45
Elbert, T., see Knecht, S., 262
Enokido, Y., see Satoh, T., 119
Erdemli, G., Krnjević, K., Nitric oxide tonically depresses a voltage- and Ca-dependent outward current in hippocampal slices, 57
Evinger, M.J., see Hemmick, L.M., 77

Feenstra, M.G.P., van der Weij, W., Botterblom, M.H.A., Concentration-dependent dual action of locally applied *N*-methyl-D-aspartate on extracellular dopamine in the rat prefrontal cortex in vivo, 175
Flor, H., see Knecht, S., 262
Formenti, A., Arrigoni, E., Martina, M., Taverna, S., Avanzini, G., Mancia, M., Calcium influx in rat thalamic relay neurons through voltage-dependent calcium channels is inhibited by enkephalin, 21
Freedman, M., see Tsuda, T., 188
Freysz, L., see Lang, D., 199
Fu, M.-J., see Lui, P.-W., 167
Fujii, T., Yamada, S., Yamaguchi, N., Fujimoto, K., Suzuki, T., Kawashima, K., Species differences in the concentration of acetylcholine, a neurotransmitter, in whole blood and plasma, 207
Fujimoto, K., see Fujii, T., 207

Gandevia, S.C., see Kilbreath, S.L., 203
Garrido, J., see Alvarez, A., 49
Gautron, J., see Aamiri, A., 243
Gayton, R.J., see Taylor, D.C.M., 259
Gearing, A., see Chandler, S., 223
Gentle, M.J., Corr, S.A., Endogenous analgesia in the chicken, 211
Goate, A.M., see Wragg, M.A., 107
Gómez, O., see Uribe, R.M., 41
Goto, N., see Nakamura, S., 151
Govoni, S., see Bergamaschi, S., 1
Grover, L.M., see Little, Z., 73

Hatanaka, H., see Satoh, T., 119
Haworth, S.G., see Buttery, L.D.K., 219
Hayaishi, O., see Minami, T., 239
Hemmick, L.M., Ross, M.E., Evinger, M.J., Regulation of PNMT gene promoter constructs transfected into the TE 671 human medulloblastoma cell line, 77
Henningsen, H., see Knecht, S., 262
Hesse, S., Jahnke, M.T., Luecke, D., Mauritz, K.H., Short-term electrical stimulation enhances the effectiveness of Botulinum toxin in the treatment of lower limb spasticity in hemiparetic patients, 37
Hewitt, B., see Kilbreath, S.L., 203
Hislop, A.A., see Buttery, L.D.K., 219
Hogan, T.P., see Tillotson, G.L., 69
Höhling, C., see Knecht, S., 262
Hosford, D.M., see Kemnitz, C.P., 115
Hu, J., see Yamada, K., 155
Hubsch, A., see Lang, D., 199

Ikeda, K., see Nishimura, T., 123
Ikeda, M., see Tsuda, T., 188
Ince, P.G., see Morris, C.M., 45
Inestrosa, N.C., see Alvarez, A., 49
Iseki, E., see Nishimura, T., 123
Ito, S., see Minami, T., 239
Iwasa, K.H., see Mizuta, K., 147
Iwata, E., see Asanuma, M., 127

Jahnke, M.T., see Hesse, S., 37
Jones, M.G., Szatkowski, M.S., The role of glycine in anoxia/aglycaemia-induced potentiation of *N*-methyl-D-aspartate receptor-mediated postsynaptic potentials in the rat hippocampus, 227
Joseph-Bravo, P., see Uribe, R.M., 41

Kanda, K., see Miwa, T., 179
Kane, J.M., see Miller, J.A., 183
Kanfer, J.N., see Lang, D., 199
Kato, M., see Nishimura, T., 123
Kawashima, K., see Fujii, T., 207
Keith, R.A., see Piser, T.M., 135
Kemnitz, C.P., Strauss, T.R., Hosford, D.M., Buchanan, J.T., Modulation of swimming in the lamprey, *Petromyzon marinus*, by serotonergic and dopaminergic drugs, 115
Kilbreath, S.L., Gandevia, S.C., Wirianski, A., Hewitt, B., Human flexor pollicis longus: role of peripheral inputs in weight-matching, 203
Klafki, H.-W., Paganetti, P.A., Sommer, B., Staufenbiel, M., Calpain inhibitor I decreases βA4 secretion from human embryonal kidney cells expressing β-amyloid precursor protein carrying the APP670/671 double mutation, 29
Knecht, S., Henningsen, H., Elbert, T., Flor, H., Höhling, C., Pantev, C., Birbaumer, N., Taub, E., Cortical reorganization in human amputees and mislocalization of painful stimuli to the phantom limb, 262
Köhling, R., Lücke, A., Nagao, T., Speckmann, E.-J., Avoli, M., Extracellular potassium elevations in the hippocampus of rats with long-term pilocarpine seizures, 87
Kondo, H., see Nishimura, T., 123
Kondo, Y., see Asanuma, M., 127
Kosaka, K., see Nishimura, T., 123
Krnjević, K., see Erdemli, G., 57
Kubo, T., see Satoh, T., 119

Lampe, R.A., see Piser, T.M., 135
Landolt, H.-P., see Dijk, D.-J., 13
Lang, D., Malviya, A.N., Hubsch, A., Kanfer, J.N., Freysz, L., Phosphatidic acid activation of protein kinase C in LA-N-1 neuroblastoma cells, 199
Leake, A., see Morris, C.M., 45
Leclerc, C.L., Chi, C.L., Sucher, N.J., Awobuluyi, M., Expression of *N*-methyl-D-aspartate receptor subunit mRNAs in the rat pheochromocytoma cell line PC12, 103
Lee, T.-Y., see Lui, P.-W., 167
Lendon, C.L., see Wragg, M.A., 107
Lerchl, A., see Niedziela, M., 247
Levesque, G., see Tsuda, T., 188
Li, F., see Nishimura, T., 123
Li, W.M., see Nagata, O., 111
Liang, Y., see Tsuda, T., 188
Little, Z., Grover, L.M., Teyler, T.J., Metabotropic glutamate receptor antagonist, (*R*,*S*)-α-methyl-4-carboxyphenyglycine, blocks two distinct forms of long-term potentiation in area CA1 of rat hippocampus, 73
Lücke, A., see Köhling, R., 87

Luecke, D., see Hesse, S., 37
Lui, P.-W., Tsen, L.-Y., Fu, M.-J., Yeh, C.-P., Lee, T.-Y., Chan, S.H.H., Inhibition by intrathecal prazosin but not yohimbine of fentanyl-induced muscular rigidity in the rat, 167
Lury, J., see Chandler, S., 223

Malinowsky, D., Chai, Z., Bristulf, J., Simoncsits, A., Bartfai, T., The type I interleukin-1 receptor mediates fever in the rat as shown by interleukin-1 receptor subtype selective ligands, 33
Malviya, A.N., see Lang, D., 199
Mancia, M., see Formenti, A., 21
Mantuano, E., see Scacchi, R., 231
Martelly, I., see Aamiri, A., 243
Martín, M.I., see Viveros, M.P., 195
Martina, M., see Formenti, A., 21
Mary, V., Wahl, F., Stutzmann, J.M., Effect of riluzole on quinolinate-induced neuronal damage in rats: comparison with blockers of glutamatergic neurotransmission, 92
Mauritz, K.H., see Hesse, S., 37
McArthur, F.K., see Morris, C.M., 45
Miethke, P., see Wellard, J.W., 17
Miley, H.E., see Taylor, D.C.M., 259
Miller, J.A., Braun, D., Chmielewski, P.A., Kane, J.M., The enhancement of muscimol-stimulated ^{36}Cl influx by the antispastic 5-aryl-3-(alkylsulfonyl)-4*H*-1,2,4-triazole (MDL 27 531) in rat brain membrane vesicles, 183
Minami, T., Onaka, M., Okuda-Ashitaka, E., Mori, H., Ito, S., Hayaishi, O., L-NAME, an inhibitor of nitric oxide synthase, blocks the established allodynia induced by intrathecal administration of prostaglandin E_2, 239
Mitchell, I.J., see Cooper, A.J., 251
Miwa, T., Miwa, Y., Kanda, K., Dynamic and static sensitivities of muscle spindle primary endings in aged rats to ramp stretch, 179
Miwa, Y., see Miwa, T., 179
Miyamoto, A., Yamamoto, T., Watanabe, S., Effect of repeated administration of Δ^9-tetrahydrocannabinol on delayed matching-to-sample performance in rats, 139
Mizuta, K., Iwasa, K.H., Simonds, W.F., Tachibana, M., Ultrastructural localization of G-protein G_s in the organ of Corti, 147
Morabito, A., see Cangemi, L., 65
Morgan, I.G., see Wellard, J.W., 17
Mori, H., see Minami, T., 239
Mori, H., see Nakamura, S., 151
Morris, C.M., Benjamin, R., Leake, A., McArthur, F.K., Candy, J.M., Ince, P.G., Torvik, A., Bjertness, E., Edwardson, J.A., Effect of apolipoprotein E genotype on Alzheimer's disease neuropathology in a cohort of elderly Norwegians, 45
Morris, J.C., see Wragg, M.A., 107

Nabeshima, T., see Yamada, K., 155
Nagai, K., see Chun, S.-J., 191
Nagao, T., see Köhling, R., 87
Nagata, O., Li, W.M., Sato, A., Glutamate *N*-methyl-D-aspartate (NMDA) and non-NMDA receptor antagonists administered into the brain stem depress the renal sympathetic reflex discharges evoked by single shock of somatic afferents in anesthetized rats, 111
Nakamura, S., Tamaoka, A., Sawamura, N., Shoji, S., Nakayama, H., Ono, F., Sakakibara, I., Yoshikawa, Y., Mori, H., Goto, N., Doi, K., Carboxyl end-specific monoclonal antibodies to amyloid β protein (Aβ) subtypes (Aβ40 and Aβ42(43)) differentiate Aβ in senile plaques and amyloid angiopathy in brains of aged cynomolgus monkeys, 151
Nakamura, Y., see Otake, K., 84
Nakanishi, T., see Asanuma, M., 127
Nakayama, H., see Nakamura, S., 151
Neal, M., see Poduslo, S.E., 81
Niedziela, M., Lerchl, A., Nieschlag, E., Direct effects of the pineal hormone melatonin on testosterone synthesis of Leydig cells in Djungarian hamsters (*Phodopus sungorus*) in vitro, 247
Nieschlag, E., see Niedziela, M., 247
Niijima, A., see Chun, S.-J., 191
Nishibayashi, S., see Asanuma, M., 127
Nishimura, T., Ikeda, K., Akiyama, H., Kondo, H., Kato, M., Li, F., Iseki, E., Kosaka, K., Immunohistochemical investigation of tau-positive structures in the cerebral cortex of patients with progressive supranuclear palsy, 123
Nitta, A., see Yamada, K., 155

Ogawa, N., see Asanuma, M., 127
Okuda-Ashitaka, E., see Minami, T., 239
Oliveira, H., see Buttery, L.D.K., 219
Onaka, M., see Minami, T., 239
Ono, F., see Nakamura, S., 151
Otake, K., Nakamura, Y., Sites of origin of corticotropin-releasing factor-like immunoreactive projection fibers to the paraventricular thalamic nucleus in the rat, 84
Ovtscharoff, W., see Bozhilova-Pastirova, A., 265

Paganetti, P.A., see Klafki, H.-W., 29
Pantev, C., see Knecht, S., 262
Park, H.-J., see Won, C., 255
Parton, M.P., see Taylor, D.C.M., 259
Pauwels, P.J., see Amoureux, M.-C., 61
Pérez, C.A., see Alvarez, A., 49
Pérez, S.E., see Anadón, R., 171
Pérez-Martínez, L., see Uribe, R.M., 41
Peterson, M.A., see Taylor, B.K., 9
Pévet, P., see Teclemariam-Mesbah, R., 5
Piser, T.M., Lampe, R.A., Keith, R.A., Thayer, S.A., Complete and reversible block by ω-grammotoxin SIA of glutamatergic synaptic transmission between cultured rat hippocampal neurons, 135
Poduslo, S.E., Neal, M., Schwankhaus, J., A closely linked gene to apolipoprotein E may serve as an additional risk factor for Alzheimer's disease, 81
Polak, J.M., see Buttery, L.D.K., 219
Pollen, D., see Tsuda, T., 188
Portaleone, P., see Cangemi, L., 65

Racchi, M., see Bergamaschi, S., 1
Ringheim, G.E., Mitogenic effects of interleukin-5 on microglia, 131
Rivera, J., see Alcázar, A., 215
Rodríguez, M.A., see Anadón, R., 171
Rodríguez-Moldes, I., see Anadón, R., 171
Rogaev, E.I., see Tsuda, T., 188
Rogaeva, E.A., see Tsuda, T., 188
Ross, M.E., see Hemmick, L.M., 77
Roth, C., see Dijk, D.-J., 13

Saito, T., see Yamada, K., 155
Sakai, N., see Satoh, T., 119
Sakakibara, I., see Nakamura, S., 151

Salinas, M., see Alcázar, A., 215
Sato, A., see Nagata, O., 111
Satoh, T., Sakai, N., Kubo, T., Enokido, Y., Uchiyama, Y., Hatanaka, H., Flow cytometric analysis of serum deprivation-induced apoptosis of PC12 cells, with special reference to role of *bcl-2*, 119
Sawamura, N., see Nakamura, S., 151
Scacchi, R., De Bernardini, L., Mantuano, E., Donini, L.M., Vilardo, T., Corbo, R.M., Apolipoprotein E (APOE) allele frequencies in late-onset sporadic Alzheimer's disease (AD), mixed dementia and vascular dementia: lack of association of ε4 allele with AD in Italian octogenarian patients, 231
Schulz, M.K., see Tillotson, G.L., 69
Schwankhaus, J., see Poduslo, S.E., 81
Sherrington, R., see Tsuda, T., 188
Shimahara, T., see Chameau, P., 159
Shimizu, K., see Chun, S.-J., 191
Shin, H.-C., see Won, C., 255
Shoji, S., see Nakamura, S., 151
Simoncsits, A., see Malinowsky, D., 33
Simonds, W.F., see Mizuta, K., 147
Slack, J.R., Walsh, C., Effects of a cAMP analogue simulate the distinct components of long-term potentiation in CA1 region of rat hippocampus, 25
Sommer, B., see Klafki, H.-W., 29
Speckmann, E.-J., see Köhling, R., 87
Springall, D.R., see Buttery, L.D.K., 219
St. George-Hyslop, P.H., see Tsuda, T., 188
Staufenbiel, M., see Klafki, H.-W., 29
Strauss, T.R., see Kemnitz, C.P., 115
Stutzmann, J.M., see Mary, V., 92
Sucher, N.J., see Leclerc, C.L., 103
Suzuki, T., see Fujii, T., 207
Szatkowski, M.S., see Jones, M.G., 227

Tachibana, M., see Mizuta, K., 147
Talbot, C.J., see Wragg, M.A., 107
Tamaoka, A., see Nakamura, S., 151
Taub, E., see Knecht, S., 262
Taverna, S., see Formenti, A., 21
Taylor, B.K., Peterson, M.A., Basbaum, A.I., Exaggerated cardiovascular and behavioral nociceptive responses to subcutaneous formalin in the spontaneously hypertensive rat, 9
Taylor, D.C.M., Gayton, R.J., Miley, H.E., Cross, N.P., Parton, M.P., The effects of *N*-methyl-D-aspartate (NMDA) and non-NMDA receptor agonists and antagonists on hypothalamic neurones in the anaesthetized rat which respond to changes in scrotal skin temperature, 259
Teclemariam-Mesbah, R., Vuillez, P., Van Rossum, A., Pévet, P., Time course of neuronal sensitivity to light in the circadian timing system of the golden hamster, 5
Teyler, T.J., see Little, Z., 73
Thayer, S.A., see Piser, T.M., 135
Tillotson, G.L., Schulz, M.K., Hogan, T.P., Castro, A.J., Analysis of neocortical grafts placed into focal ischemic lesions in adult rats, 69
Torvik, A., see Morris, C.M., 45
Toyka, K.V., see Buchwald, B., 163
Trabucchi, M., see Bergamaschi, S., 1
Tsen, L.-Y., see Lui, P.-W., 167
Tsuda, T., Chi, H., Liang, Y., Rogaeva, E.A., Sherrington, R., Levesque, G., Ikeda, M., Rogaev, E.I., Pollen, D., Freedman, M., Duara, R., St. George-Hyslop, P.H., Failure to detect missense mutations in the S182 gene in a series of late-onset Alzheimer's disease cases, 188

Uchiyama, Y., see Satoh, T., 119
Uribe, R.M., Pérez-Martínez, L., de Lourdes Covarrubias, M., Gómez, O., Covarrubias, L., Charli, J.L., Joseph-Bravo, P., Phorbol ester or cAMP enhance thyrotropin-releasing hormone mRNA in primary cultures of hypothalamic cells, 41

Van der Want, J.J.L., see Aarnoutse, E.J., 143
van der Weij, W., see Feenstra, M.G.P., 175
Van Rossum, A., see Teclemariam-Mesbah, R., 5
Vicente, M., see Alvarez, A., 49
Vilardo, T., see Scacchi, R., 231
Viveros, M.P., de Cabo, C., Colado, M.I., Martín, M.I., Naltrexone administration during the preweanling period affects striatal and hypothalamic serotonergic systems, but not midbrain serotonergic or striatal dopaminergic systems in the adult rat, 195
Vrensen, G.F.J.M., see Aarnoutse, E.J., 143
Vuillez, P., see Teclemariam-Mesbah, R., 5

Wahl, F., see Mary, V., 92
Walsh, C., see Slack, J.R., 25
Watanabe, S., see Miyamoto, A., 139
Weishaupt, A., see Buchwald, B., 163
Wellard, J.W., Miethke, P., Morgan, I.G., Neural barriers affect the action of nitric oxide synthase inhibitors in the intact chicken retina, 17
Wells, G., see Chandler, S., 223
Werth, E., see Dijk, D.-J., 13
Wetsel, W.C., see Bergamaschi, S., 1
Wirianski, A., see Kilbreath, S.L., 203
Won, C., Park, H.-J., Shin, H.-C., Interleukin-1 β facilitates afferent sensory transmission in the primary somatosensory cortex of anesthetized rats, 255
Wragg, M.A., Talbot, C.J., Morris, J.C., Lendon, C.L., Goate, A.M., No association found between Alzheimer's Disease and a mitochondrial tRNA glutamine gene variant, 107
Wurch, T., see Amoureux, M.-C., 61

Yamada, K., Nitta, A., Saito, T., Hu, J., Nabeshima, T., Changes in ciliary neurotrophic factor content in the rat brain after continuous intracerebroventricular infusion of β-amyloid(1–40) protein, 155
Yamada, S., see Fujii, T., 207
Yamaguchi, N., see Fujii, T., 207
Yamamoto, T., see Miyamoto, A., 139
Ye, P., Carson, J., D'Ercole, A.J., Insulin-like growth factor-I influences the initiation of myelination: studies of the anterior commissure of transgenic mice, 235
Yeh, C.-P., see Lui, P.-W., 167
Yoshikawa, Y., see Nakamura, S., 151